



## TECHNICAL DATA

### BONDUROX C POLYURETHANE ADHESIVE

<b>DESCRIPTION</b>	A single pack moisture curing polyurethane based adhesive.
<b>USES</b>	Bonding concrete blocks, pavers and kerbing to concrete and asphalt substrates Bonding recycled rubber based traffic control mouldings and safety matting to trafficable substrates.
<b>COLOUR</b>	Grey
<b>FEATURES</b>	Excellent bond strength Rapid cure Good wet grab and initial hold Suitable for intermittent immersion service in water once cured Low smell Designed to expand (high density foam) to maximise bond footprint
<b>SURFACE PREPARATION</b>	Concrete surfaces should be clean and sound. Contact Uroxsys for specific recommendations. Contractors should test lay a typical sample and do a destructive pull test to confirm adequate adhesion to a given substrate.
<b>MIXING RATIO</b>	Single pack. Cures by reaction with moisture from the atmosphere and the substrate.
<b>APPLICATION</b>	<p><b>Tubes.</b> Puncture tubes near an end with a nail. Squeeze out as required. Aim for a 6mm diameter bead, at a spacing that allows for an effective footprint of 80% of the covered area once the overlay is bedded in. Fasten or weight to secure during cure.</p> <p><b>Bulk:</b> Trowel onto substrates with a suitable notched trowel. A good starting point is 5mm wide by 6mm high V notches at 25mm centres. For thinner sections which may "float" with foaming use 3 mm x 3 mm at 10mm centres.</p> <p>Consult Uroxsys for specific recommendations. Lay directly onto prepared glue with minimum of sideways movement. Remove excess promptly. Do not return mixed product to resin container. Fastening is recommended to secure during cure.</p>

## TECHNICAL DATA

**Packaging:** 14kg plastic pails and 700gm sausages

**Coverage Rate:** 1 ½ -2 m<sup>2</sup> per litre, dependent on end use.

**Cure Time:** Normally initial set in 4 hours, safe to traffic after 12 hours. Full cure 7 days.

**Working Time:** Approximately 30 minutes once applied, depending on ambient conditions.

**Shelf Life:** Six months in unopened containers. Opened pails may skin and this may be cut off and remaining product used.

**Clean Up:** Clean up frequently using Uroxsys Polyurethane Brush Cleaner before product has set on equipment.

**SAFETY DATA:** Wear protective clothing. **Gloves are essential.** Avoid contact with skin. For further information refer to material safety data sheet.

This information is, to the best of our knowledge, true and accurate, but any recommendations or suggestions which may be made are without guarantee, since the conditions of use are beyond our control. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.

BONDC TD4 MAR14